

Naturkraft Holzpellets 15kg



Allgemeine Produktdaten

Hersteller

- SONSTIGE -

Artikelart

Neuware

Angebotspreis

6,79 €

Zahlungs- und Lieferbedingungen

Zahlungsbedingungen	Barzahlung EC-Karte
---------------------	------------------------

Lieferbedingungen	Abholung
-------------------	----------

Bemerkung

6,79 bei Palettenabnahme (66 Sack), Einzelabnahme 6,99€

Spezifikationen

Art/Kategorie	Baustoffe • Sonstige Baustoffe
---------------	--------------------------------

Grundriss und Abmessungen

Gewicht	15 kg
---------	-------

Farbe und Materialien

Material	Holz
----------	------

Farbe	beige
-------	-------

Händler

Firma	H. P. Krämer GmbH & Co. KG
-------	----------------------------

Tel.	+49 6761 9047-0
------	-----------------

E-Mail	info@baustoffe-kraemer.de
--------	--

Website	https://www.baustoffe-kraemer.de
---------	---

Artikel-Standort

Straße	Ringstraße 27
--------	---------------

PLZ	55471
-----	-------

Ort, Land	Rheinland-Pfalz - Reich, Deutschland
-----------	--------------------------------------

16. **Answer:** *Trichinella spiralis*. *Trichinella* is a small, thread-like nematode parasite that causes trichinosis. It is typically found in undercooked meat, particularly pork. The parasite is characterized by its unique morphology, including a head with suckers and a tail with a small hook. The life cycle involves a host (usually a pig) and a definitive host (usually a human). The parasite is transmitted through the consumption of undercooked meat.

17. **Answer:** *Trichinella spiralis*. *Trichinella* is a small, thread-like nematode parasite that causes trichinosis. It is typically found in undercooked meat, particularly pork. The parasite is characterized by its unique morphology, including a head with suckers and a tail with a small hook. The life cycle involves a host (usually a pig) and a definitive host (usually a human). The parasite is transmitted through the consumption of undercooked meat.

18. **Answer:** *Trichinella spiralis*. *Trichinella* is a small, thread-like nematode parasite that causes trichinosis. It is typically found in undercooked meat, particularly pork. The parasite is characterized by its unique morphology, including a head with suckers and a tail with a small hook. The life cycle involves a host (usually a pig) and a definitive host (usually a human). The parasite is transmitted through the consumption of undercooked meat.

19. **Answer:** *Trichinella spiralis*. *Trichinella* is a small, thread-like nematode parasite that causes trichinosis. It is typically found in undercooked meat, particularly pork. The parasite is characterized by its unique morphology, including a head with suckers and a tail with a small hook. The life cycle involves a host (usually a pig) and a definitive host (usually a human). The parasite is transmitted through the consumption of undercooked meat.

20. **Answer:** *Trichinella spiralis*. *Trichinella* is a small, thread-like nematode parasite that causes trichinosis. It is typically found in undercooked meat, particularly pork. The parasite is characterized by its unique morphology, including a head with suckers and a tail with a small hook. The life cycle involves a host (usually a pig) and a definitive host (usually a human). The parasite is transmitted through the consumption of undercooked meat.